

# LED Night Light



CE FCC ErP  



No Flicker



Ra80



30000h



DC



360°



For Indoor



0.5

01



WT8B19  
PC & ABS



WT8B18  
PC & ABS

| Model No.<br>产品规格   | Dimension<br>DxH(mm) | Rated Power<br>额定功率 | Total Lumen<br>光通量 | Battery Capacity<br>电池容量              | Installation<br>安装方式 | Functions<br>功能                                            | PCS/CTN<br>装箱数量 | CTN MEAS.<br>装箱尺寸(cm) |
|---------------------|----------------------|---------------------|--------------------|---------------------------------------|----------------------|------------------------------------------------------------|-----------------|-----------------------|
| XGYNLDC-WT8B18-E0.2 | 190*75*41            | 0.4W                | 25lm               | Li-ion 3.7V<br>500mAh<br>Recharge 3h  | Screw Mounting       | Light & IR Sensor/On/Off<br>Use Time 6 hours<br>USB Type C | 8               | 20*18*16              |
| XGYNLDC-WT8B19-E0.2 | 200*75*39            | 2.5W                | 120lm              | Li-ion 3.7V<br>1100mAh<br>Recharge 3h | Screw Mounting       | On/Off<br>Use Time 2 hours<br>USB Type C                   | 8               | 22*18*16.5            |

# LED Night Light



CE FCC ErP  



No Flicker



Ra80



30000h



S: AC 220-240V



360°



For Indoor



0.5

02



JBRSW01W



JBRSW01CW



-  Touch Color Changes RGBW
-  German Front Socket
-  Euro Plug

| Model No.<br>产品规格    | Dimension<br>W*H*T(mm) | Rated Power<br>额定功率 | Total Lumen<br>光通量 | Color Temp.<br>色温 | Body Material<br>材质 | PCS/CTN<br>装箱数量 | CTN MEAS.<br>装箱尺寸(cm) |
|----------------------|------------------------|---------------------|--------------------|-------------------|---------------------|-----------------|-----------------------|
| XGYNLAC-JBRSW01W-E4  | 75*65*480              | 4W                  | 320lm              | 3000K-6500K       | PC & ABS            | 24              | 53.5*27*34.5          |
| XGYNLAC-JBRSW01CW-E4 | 60*65*470              | 4W                  | 320lm              | 3000K-6500K       | PC & ABS            | 12              | 36*26*31              |



KLYMOON



REM



-  2XAA Battery
-  Magnetic Adhesive Plate x 1
-  M1:100% Always On
-  M2: Night&IR Sensor Trigger

-  Euro Plug

| Model No.<br>产品规格  | Dimension<br>W*H*T(mm) | Rated Power<br>额定功率 | Total Lumen<br>光通量 | Color Temp.<br>色温 | Body Material<br>材质 | PCS/CTN<br>装箱数量 | CTN MEAS.<br>装箱尺寸(cm) |
|--------------------|------------------------|---------------------|--------------------|-------------------|---------------------|-----------------|-----------------------|
| XGYNLAC-KLYMOON-E4 | 84*73*84               | 0.6W                | 20lm               | 3000K-6500K       | ABS+PP              | 300             | 49.5*48*63.5          |
| XGYNLDC-REM-E0.2   | Φ85*36                 | 0.2W                | 10lm               | 3000K-6500K       | PC Diffuser/PP Body | 100             | 52*29*18.5            |



Button Switch



Light Sensor



- RGBW Multi-Color Shade
- On/Off Switch
- Euro-Plug 2 Pin



| Model No.<br>产品规格 | Dimension<br>WxHxT(mm) | Rated Power<br>额定功率 | Total Lumen<br>光通量 | Color Temp<br>色温 | Body Material<br>材质 | PCS/CTN<br>装箱数量 | CTN MEAS.<br>装箱尺寸(cm) |
|-------------------|------------------------|---------------------|--------------------|------------------|---------------------|-----------------|-----------------------|
|-------------------|------------------------|---------------------|--------------------|------------------|---------------------|-----------------|-----------------------|

|                  |           |      |      |             |                           |    |              |
|------------------|-----------|------|------|-------------|---------------------------|----|--------------|
| XGYNLAC-MCS-E0.5 | 73*39*103 | 0.5W | 25lm | 3000K-6500K | PS Lamp Shade<br>ABS Body | 64 | 67.5*44.5*32 |
|------------------|-----------|------|------|-------------|---------------------------|----|--------------|



GFS



FFS



2USB



Blue



Green



Red



White

- Touch Color Changes RGBW
- German Front Socket
- Euro Plug

| Model No.<br>产品规格 | Dimension<br>DxH(mm) | Rated Power<br>额定功率 | Total Lumen<br>光通量 | Color Temp.<br>色温 | Body Material<br>材质 | PCS/CTN<br>装箱数量 | CTN MEAS.<br>装箱尺寸(cm) |
|-------------------|----------------------|---------------------|--------------------|-------------------|---------------------|-----------------|-----------------------|
|-------------------|----------------------|---------------------|--------------------|-------------------|---------------------|-----------------|-----------------------|

|                  |        |      |      |             |         |    |            |
|------------------|--------|------|------|-------------|---------|----|------------|
| XGYNLAC-GFS-E0.6 | Φ80*75 | 0.6W | 10lm | 3000K-6500K | Full PC | 12 | 25*24*38.5 |
|------------------|--------|------|------|-------------|---------|----|------------|

|                  |        |      |      |             |         |    |            |
|------------------|--------|------|------|-------------|---------|----|------------|
| XGYNLAC-FFS-E0.6 | Φ80*75 | 0.6W | 10lm | 3000K-6500K | Full PC | 12 | 25*24*38.5 |
|------------------|--------|------|------|-------------|---------|----|------------|

|                   |        |      |      |             |         |    |            |
|-------------------|--------|------|------|-------------|---------|----|------------|
| XGYNLAC-2USB-E0.6 | Φ80*75 | 0.6W | 10lm | 3000K-6500K | Full PC | 12 | 25*24*38.5 |
|-------------------|--------|------|------|-------------|---------|----|------------|



Screen Temp &amp; RH Display



Back Light



- M1/2: Always On/Off
- M3: Light Sensor
- M4: Light&PIR Sensor
- Emergency 300mAh Battery
- Japan 2 Pin Plug
- Touch On/Off&Dim&3CCT

| Model No.<br>产品规格 | Dimension<br>WxHxL(mm) | Rated Power<br>额定功率 | Total Lumen<br>光通量 | Color Temp.<br>色温 | Body Material<br>材质 | PCS/CTN<br>装箱数量 | CTN MEAS.<br>装箱尺寸(cm) |
|-------------------|------------------------|---------------------|--------------------|-------------------|---------------------|-----------------|-----------------------|
|-------------------|------------------------|---------------------|--------------------|-------------------|---------------------|-----------------|-----------------------|

|                                  |          |      |      |                                 |         |    |                |
|----------------------------------|----------|------|------|---------------------------------|---------|----|----------------|
| XGYNLAC-RBL-E1.5<br>(Back Light) | 88*88*28 | 1.5W | 50lm | 3000K-6500K<br>Touch CCT Change | Full PC | 80 | 37.5*32.5*20.5 |
|----------------------------------|----------|------|------|---------------------------------|---------|----|----------------|

|                                                                 |          |      |      |             |         |    |                |
|-----------------------------------------------------------------|----------|------|------|-------------|---------|----|----------------|
| XGYNLAC-RBLS-E1.5<br>(Screen Temp & RH Display)<br>(Back Light) | 88*88*28 | 1.5W | 50lm | 3000K-6500K | Full PC | 80 | 37.5*32.5*20.5 |
|-----------------------------------------------------------------|----------|------|------|-------------|---------|----|----------------|



WTG068



WTG002



WTG092



- CW / RGB Mode
- Mode Adjustable Button
- Sensor/Non-Sensor Mode
- Light & IR Sensor
- Recharge 10-15h
- Euro Plug

| Model No.<br>产品规格 | Dimension<br>DxH(mm) | Rated Power<br>额定功率 | Total Lumen<br>光通量 | Color Temp.<br>色温 | Body Material<br>材质 | PCS/CTN<br>装箱数量 | CTN MEAS.<br>装箱尺寸(cm) |
|-------------------|----------------------|---------------------|--------------------|-------------------|---------------------|-----------------|-----------------------|
|-------------------|----------------------|---------------------|--------------------|-------------------|---------------------|-----------------|-----------------------|

|                   |           |      |                          |             |          |    |          |
|-------------------|-----------|------|--------------------------|-------------|----------|----|----------|
| XGYNLAC-WTG092-E4 | 186*83*50 | 1.3W | Torch 35lm<br>Front 55lm | 3000K-6500K | PC & ABS | 24 | 41*28*24 |
|-------------------|-----------|------|--------------------------|-------------|----------|----|----------|

|                   |             |    |                          |             |          |    |          |
|-------------------|-------------|----|--------------------------|-------------|----------|----|----------|
| XGYNLAC-WTG002-E4 | 115*60*36.5 | 2W | Torch 35lm<br>Front 45lm | 3000K-6500K | PC & ABS | 24 | 55*39*36 |
|-------------------|-------------|----|--------------------------|-------------|----------|----|----------|

|                     |           |      |     |                                       |         |    |              |
|---------------------|-----------|------|-----|---------------------------------------|---------|----|--------------|
| XGYNLAC-WTG068-E0.7 | 115*60*36 | 0.7W | RGB | RGB / CW Adjustable<br>Color Lockable | Full PC | 24 | 53.5*27*34.5 |
|---------------------|-----------|------|-----|---------------------------------------|---------|----|--------------|