

LED Solar Lighting



Solar Flood Light (Separate Solar Panel) – Economic



No Flicker



-30°C to 85°C



Charge: 8-10 H



Work: 12 H



120°

01



50W



100W



200W



500W

Model No. 产品规格	Dimension W*H*L(mm)	Solar Panel Spec. 太阳能板参数	Solar Panel Size 太阳能板尺寸(mm)	Power 功率	Total Lumen 光通量	Battery Capacity 电池容量	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSFL-ZN-209-E50	200*175*40	6V/10W Monocrystalline Silicon	390*180*17	50W	360lm	18650 6000mAh	10	38.5*38*42
XGYSFL-ZN-209-E100	250*225*40	6V/15W Monocrystalline Silicon	390*240*17	100W	750lm	18650 12000mAh	10	49*38*42
XGYSFL-ZN-209-E200	290*260*40	6V/20W Monocrystalline Silicon	390*310*17	200W	1150lm	18650 18000mAh	10	65.5*38*42
XGYSFL-ZN-209-E300	320*295*40	6V/30W Monocrystalline Silicon	390*440*17	300W	1550lm	18650 30000mAh	6	41.5*45*43

LED Solar Lighting



Solar Flood Light (Separate Solar Panel) – Standard



No Flicker



-30°C to 85°C



Charge: 3-4 H



Work: 12 H



120°

02



50W



100W



200W



300W

Model No. 产品规格	Dimension W*H*L(mm)	Solar Panel Spec. 太阳能板参数	Solar Panel Size 太阳能板尺寸(mm)	Power 功率	Total Lumen 光通量	Battery Capacity 电池容量	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSFL-ZN-210-E50	195*152*40	6V/10W Monocrystalline Silicon	390*180*17	50W	360lm	18650 6000mAh	10	48*36.5*23
XGYSFL-ZN-210-E100	230*172*40	6V/15W Monocrystalline Silicon	390*240*17	100W	750lm	18650 12000mAh	10	48*45.5*31
XGYSFL-ZN-210-E200	267*190*45	6V/20W Monocrystalline Silicon	390*310*17	200W	1150lm	18650 18000mAh	10	48*47.5*41.5
XGYSFL-ZN-210-E300	305*208*45	6V/30W Monocrystalline Silicon	390*440*17	300W	1550lm	18650 30000mAh	10	61.5*48*41.5

LED Solar Lighting

Solar Flood Light (Integrated Solar Panel)



Features :

- Body Material: ABS+GLASS
- IP65 Protection Level



Model No. 产品规格	Dimension W*H*L(mm)	Solar Panel Spec. 太阳能板参数	Sensor Type 感应方式	Total Lumen 光通量	Battery Capacity 电池容量	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYFL-LC-XRSL03	124.4*42.3*90.7	5V/1.7W Monocrystalline Silicon	Microwave DIM100%-50%-20%	800lm / 400lm 150lm	18650 1800mAh	10	48*36.5*23
XGYFL-LC-XRSL04	160*36.5*145.5	5V/2.5W Monocrystalline Silicon	PIR DIM100%-50%-20%	800lm / 400lm 150lm	18650 1800mAh	20	34.5*25.5*32

LED Solar Lighting



Solar Landscape Flood (Integrated Solar Panel)



No Flicker



CRI:70/80



3000K-6500K



Charge: 6-8H



Work: 8-10H

Features :

✗ Body Material: ABS+GLASS



04

Model No. 产品规格	Dimension W*H*L(mm)	Solar Panel Spec. 太阳能板参数	Sensor Type 感应方式	Total Lumen 光通量	Battery Capacity 电池容量	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYFL-LC-XRSLDC04	160*36.5*145.5	5V/2.5W Monocrystalline Silicon	PIR DIM100%-50%-20%	800lm / 400lm 150lm	18650 1800mAh*1pc	20	34.5*25.5*32
XGYFL-LC-XRSLDC01	91*125*42	3.7V/4.5W Monocrystalline Silicon	DIM	800lm / 480lm 240lm	18650 1800mAh*2pc	20	45.4*36.8*35.8

LED Solar Lighting



Solar Wall Lamp



No Flicker



CRI:70/80



3000K-6500K



Charge: 6-8H



Work: 8-10H

Features :

- Body Material: SPCC IRON+PC
- IP54 Protection Level



ARRO

STRP

TRNG

HNBP

LTRP

WFLEN

Model No. 产品规格	Dimension W*H*L(mm)	Solar Panel Spec. 太阳能板参数	Sensor Type 感应方式	Total Lumen 光通量	Battery Capacity 电池容量	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSWL-TRNG-E0.2	180*90*73.7	5.5V/1.1W Monocrystalline Silicon	IR Sensor	30lm	18650 2000mAh	50	38.8*49.6*43.3
XGYSWL-HNBP-E0.3	300*150*81	5.5V/1.5W Monocrystalline Silicon	House Number Display Smart Discharge Curve	30lm	18650 2000mAh	15	48.4*45*33.1
XGYSWL-ARRO-E0.15	100*90*103	5.5V/0.7W Monocrystalline Silicon	IR Sensor Rotatable Head	30lm	18650 1200mAh	100	54.6*52.1*52.7
XGYSWL-STRP-E0.15	95*85*100	5.5V/0.7W Monocrystalline Silicon	IR Sensor	30lm	18650 1200mAh	100	44*45.6*41.3
XGYSWL-LTRP-E0.15	70*60*100	5.5V/0.7W Monocrystalline Silicon	IR Sensor	30lm	18650 1200mAh	100	52.1*47.1*45.5
XGYSWL-WFLEN-E0.3	Φ201*109	5.5V/1W Monocrystalline Silicon	IR Sensor	30lm	18650 2000mAh	30	45.4*59.6*44.3



IP65

6-7 H
CHARGE8-12 H
WORK**XGYSWL-MYSW-HY03-E6.7**

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
6.7W	900lm max	254*97*108
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 3600mAH		5V/2.5W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	24	54*44.2*42



IP65

6-7 H
CHARGE8-12 H
WORK**XGYSWL-MYSW-HY04-E6.7**

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
6.7W	900lm max	222*148*91
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 3600mAH		5V/2.5W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	24	49*50*44.5



IP65

4-5 H
CHARGE6-8 H
WORK**XGYSWL-MYSW-SR01-E2.5**

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.5W	250lm	204*162*89
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1200mAH		5.5V/1.5W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	18	53*48.5*39



IP65

4-5 H
CHARGE6-8 H
WORK**XGYSWL-MYSW-SR02-E2.5**

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.5W	250lm	177*145*154
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1200mAH		5.5V/1.5W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	18	53*48.5*39



IP65

5-6 H
CHARGE6-8 H
WORK**XGYSWL-MYSW-STC03-E2.5**

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.5W	250lm	152*96*84
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1200mAH		5V/1W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS	48	43.5*39*48



IP65

8-10 H
CHARGE8-12 H
WORK**XGYSWL-MYSW-HT01-E0.4**

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
0.4W	30/20lm	70*50*120
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1200mAH		5V/0.6W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	100	52.7*39*32



IP65

6-7 H
CHARGE8-12 H
WORK**XGYSWL-MYSW-HT02-E0.8**


Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
0.8W	30/20lm	162*100*42
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1800mAH		5V/1.5W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
PMMA+ABS	48	47*40*37.5



IP65

4-5 H
CHARGE6-8 H
WORK**XGYSWL-MYSW-ST01-E2.5**

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.5W	250lm	163*111*100
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1200mAH		5.5V/1.5W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PP	24	46*36*38




XGYSWL-HC-P9117-E2.4

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.4W	280lm	212*80*82
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1800mAh		3.7V/1.7W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	20	44*19*45.5



XGYSWL-HC-P9118-E2.4

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.4W	280lm	125*84*120
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1200mAh		3.7V/1W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	20	46*27.5*27




XGYSWL-HC-P9114-E2.4

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.4W	280lm	200*100*90
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1500mAh		3.7V/1.2W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	20	49*22.5*43



XGYSWL-HC-P9114L-E2.4

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
4.5W	520lm	350*100*90
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 2200mAh		3.7V/2.3W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	20	49*22.5*73




XGYSWL-HC-P9112-E2.4

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.4W	280lm	180*91*96
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1500mAh		3.7V/1.6W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	20	49*22*40



XGYSWL-HC-P9113-E2.4

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.4W	280lm	150*150*90
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1200mAh		3.7V/1W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
ABS+PC	20	49*23.5*33



XGYSWL-HC-P9134-E2.4

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
2.4W	280lm	185*75*99
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 1500mAh		3.7V/1.6W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
Aluminum	10	41.5*20.5*23



XGYSWL-HC-P9134L-E4.5

Rated Power 额定功率	Total Lumen 光通量	Dimension W*H*L(mm)
4.5W	520lm	221*85*111
Battery Capacity 电池容量		Solar Panel Spec. 太阳能板参数
18650 2200mAh		3.7V/2.2W Monocrystalline Silicon
Body Material 材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
Aluminum	10	46.5*24*25

LED Solar Lighting



Solar Garden Light (Special Design)



No Flicker



CRI:70/80



3000K-6500K



Charge: 6-8H



Work: 8-10H



CUDL



MHC



TRLN



COCB

Model No. 产品规格	Dimension W*H*L(mm)	Solar Panel Spec. 太阳能板参数	Body Material 材质	Total Lux 照度	Battery Capacity 电池容量	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSGL-CUDL-E0.3x2	175*175*702	5.5V/1.2W Monocrystalline Silicon	PA6+Iron	40Lux	18650 2000mAh	2	41.5*22.7*75.5
XGYSGL-MHC-E0.3	175*115*589	5.5V/1.2W Monocrystalline Silicon	PA6+Iron	40Lux	18650 2000mAh	6	57.5*38.5*62.5
XGYSGL-TRLN-E0.3	160*140*325	5.5V/1.2W Monocrystalline Silicon	PA6+Iron	40Lux	18650 2000mAh	4	45*45*35.6
XGYSGL-COCB-E0.3	124*124*626	5.5V/2W Monocrystalline Silicon	Plastic+Iron	45Lux	18650 4000mAh	4	68.5*31.5*32

LED Solar Lighting



Solar Garden Light (Lantern Style)



No Flicker



CRI:70/80



3000K-6500K




Charge: 6-8H



Work: 8-12H



360°



09

Model No. 产品规格	Rated Power 额定功率	Solar Panel Spec. 太阳能板参数	Body Material 材质	Lumen Efficacy 光效	Battery Capacity 电池容量	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSG-L-YH129	2.8W	5.5V/3W Monocrystalline Silicon	Aluminum+PC	70lm/W	18650 3.7V/4400mAh	8	45*33*63
XGYSG-L-YH130	2.8W	5.5V/3W Monocrystalline Silicon	Aluminum+PC	70lm/W	18650 3.7V/4400mAh	8	65*33*63
XGYSG-L-YH131	2.8W	5.5V/3W Monocrystalline Silicon	Aluminum+PC	70lm/W	18650 3.7V/4400mAh	8	85*33*63

LED Solar Lighting



Solar Lamp of Multiple Installations



Features :

- ✗ Light Sensor
- ✗ IP54 Protection Level



White Warm



White Warm



10

Model No. 产品规格	Rated Power 额定功率	Solar Panel Spec. 太阳能板参数	Body Material 材质	Total Lumen 光通量	Battery Capacity 电池容量	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSGL-YD238-E4	4W	5V/3.7W Monocrystalline	Die-cast Alu +PMMA	360lm	18650 3.7V/4000mAh	8	60*60*39
XGYSGL-YD087-E4	4W	5V/3.7W Monocrystalline	Alu+PC	360lm	18650 3.7V/4000mAh	4	50*50*31.5


LED Solar Lighting

LED Solar Lamp of Multiple Installations



Features :

- ❌ Light Sensor
- ❌ IP65 Protection Level



Mobile APP intelligent control:

- ❌ Support 4 default scenes and DIY scene selection
- ❌ Power management, low power reminder function
- ❌ Adjust the light
- ❌ Turn the lights on/off regularly
- ❌ Support lighting and music Sync

Model No. 产品规格	Rated Power 额定功率	Solar Panel Spec. 太阳能板参数	Body Material 材质	Total Lumen 光通量	Battery Capacity 电池容量	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSGL-YD231-E4	4W	5V/3.7W Monocrystalline	Alu +PMMA	360lm	18650 3.7V/4000mAh	1	28*28*17.5
XGYSGL-YD404-E3	2-3W	Single crystal glass laminated 150*2.0mm 5V/2W	Alu+PC	200lm	3.7V/4000mAh	8	46*46*57