

LED Spot Light



Plastic Housing Integrated LED



Option
CCT



01

CB CE ErP 



No Flicker



Dimmable
Option



Ra80



25000h



220-240V



For Indoor



40°



IP20



0.5



GCTL



TAL



WAL



PCL

Model No. 产品规格	Dimension (L*W)/LxH(mm)	Rated Power 额定功率	Lumen 流明	Color Temp. 色温	Body Material 材质	Functions 功能	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSL-GCTL-E3.5 -T3CCT	78*53*376	3.5W	260lm Useful Lumen	3000/4000/6500K	Metal Clamp / PC Lens PC Spot Head Silicone Coated Metal Tube	Short Touch On/Off 3CCT Long Touch Dimming	8	26*19.5*42
XGYSL-TAL-E3.5 -T3CCT	130*130*382	3.5W	260lm Useful Lumen	3000/4000/6500K	Metal Base / PC Lens PC Spot Head Silicone Coated Metal Tube	Short Touch On/Off 3CCT Long Touch Dimming	6	36*34.5*52
XGYSL-WAL-E3.5 -T3CCT	80*63*446	3.5W	260lm Useful Lumen	3000/4000/6500K	ABS Base / PC Lens PC Spot Head Silicone Coated Metal Tube	Short Touch On/Off 3CCT Long Touch Dimming	12	25*24*38.5
XGYSL-PCL-E3.5 -T3CCT	112*426	3.5W	260lm Useful Lumen	3000/4000/6500K	ABS Clamp / PC Lens PC Spot Head Silicone Coated Metal Tube	Short Touch On/Off 3CCT Long Touch Dimming	24	41*36*32.5



Model No. 产品规格	Dimension (L*W)DxH(mm)	Rated Power 额定功率	Lumen 流明	Color Temp. 色温	Body Material 材质	Functions 功能	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSL-CSL-CB1H-1R	120*80*85	3.5W	400lm Module Lumen	3000K-6500K	Metal Base / PC Lens PC Spot Head	Rotatable Flippable Heads	8	38*28.5*13.6
XGYSL-CSL-CB3H-1R	Φ175*125	3.5Wx3	400lm x3 Module Lumen	3000K-6500K	Metal Base / PC Lens PC Spot Head	Rotatable Flippable Heads	27	57*57*40.5




Model No. 产品规格	Dimension LxWxH(mm)	Rated Power 额定功率	Lumen 流明	Color Temp. 色温	Body Material 材质	Functions 功能	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSL-CSL-ORB2H-1R	280*61*85	3.5Wx2	400lm x2 Module Lumen	3000K-6500K	Metal Base / PC Lens PC Spot Head	Rotatable Flippable Heads	8	28*27*27



Model No. 产品规格	Dimension LxWxH(mm)	Rated Power 额定功率	Lumen 流明	Color Temp. 色温	Body Material 材质	Functions 功能	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSL-CSL-ORB3H-1R	430*61*85	3.5Wx3	400lm x3 Module Lumen	3000K-6500K	Metal Base / PC Lens PC Spot Head	Rotatable Flippable Heads	6	42*21*27




Model No. 产品规格	Dimension (L*W)/LxH(mm)	Rated Power 额定功率	Lumen 流明	Color Temp. 色温	Body Material 材质	Functions 功能	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSL-CSL-ORB4H-1R	580*61*85	3.5Wx4	400lm x4 Module Lumen	3000K-6500K	Metal Base / PC Lens PC Spot Head	Rotatable Flippable Heads	4	59.5*14.5*27



RB6H-1R



FL2H



FL1H

Model No. 产品规格	Dimension (L*W)/LxH(mm)	Rated Power 额定功率	Lumen 流明	Color Temp. 色温	Body Material 材质	Functions 功能	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYSL-HSL-RB6H-1R	800*158*1205	3.5Wx6	400lm x6 Module Lumen	3000K-6500K	Metal Base / PC Lens PC Spot Head	Rotatable Flippable Heads	4	84*20*26.5
XGYSL-FL2H-E3.5x2-T3CCT	220*1415	3.5Wx2	400lm x2 Module Lumen	3000K-6500K	Metal Base / PC Lens PC Spot Head	Rotatable Flippable Heads	2	48*24*15
XGYSL-FL1H-E3.5-T3CCT	210*210*1385	3.5W	260lm Useful Lumen	3000/4000/6500K	Metal Base / PC Lens PC Spot Head Silicone Coated Metal Tube	Short Touch On/Off 3CCT Long Touch Dimming	4	55*23.5*27.5

LED Spot Light

Metal Housing for GU10/MR16



04

CB CE ErP   FCC



Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK001R-1R	134*80*110	B/W Steel
XGYCSL-JLK-CK001R-2	244*100*152	B/W Steel
XGYCSL-JLK-CK001R-3	360*100*152	B/W Steel
XGYCSL-JLK-CK001R-3R	205*202*115	B/W Steel
XGYCSL-JLK-CK001R-4	580*100*138	B/W Steel

 Housing Only without Light Source

Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK002T	83*55*156	B/W Aluminium+Steel
XGYCSL-JLK-CK002R-1	92.5*80*140	B/W Aluminium+Steel
XGYCSL-JLK-CK002S-2	210*60*138	B/W Aluminium+Steel
XGYCSL-JLK-CK002S-3	366*60*138	B/W Aluminium+Steel
XGYCSL-JLK-CK002S-4	210*210*138	B/W Aluminium+Steel
XGYCSL-JLK-CK002S-5	605*60*138	B/W Aluminium+Steel

 Housing Only without Light Source





Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK003T	83*55*169	B/W Aluminium+Steel+PC
XGYCSL-JLK-CK003R-1	80*80*153	B/W Aluminium+Steel+PC
XGYCSL-JLK-CK003S-1K	130*60*155	B/W Aluminium+Steel+PC
XGYCSL-JLK-CK003S-2	210*60*153	B/W Aluminium+Steel+PC
XGYCSL-JLK-CK003S-3	366*60*153	B/W Aluminium+Steel+PC
XGYCSL-JLK-CK003S-4	485*60*153	B/W Aluminium+Steel+PC
XGYCSL-JLK-CK003S-6	900*60*152	B/W Aluminium+Steel+PC
XGYCSL-JLK-CS114R-2	181*55*98	B/W Aluminium+PC
XGYCSL-JLK-CS109D (Surface Mounting)	100*100*1230	B/W Aluminium+PC

☒ Housing Only without Light Source

Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK004T	83*55*171	B/W Aluminium+Steel
XGYCSL-JLK-CK004S-1	92.5*80*155	B/W Aluminium+Steel
XGYCSL-JLK-CK004S-2	210*60*155	B/W Aluminium+Steel
XGYCSL-JLK-CK004S-3	366*60*155	B/W Aluminium+Steel
XGYCSL-JLK-CK004S-4	485*60*155	B/W Aluminium+Steel
XGYCSL-JLK-CK004S-4S	210*210*155	B/W Aluminium+Steel
XGYCSL-JLK-CK004S-6	95*80*155	B/W Aluminium+Steel

☒ Housing Only without Light Source



Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK005T	75*59*138	B/W Aluminium+Steel
XGYCSL-JLK-CK005R-1	87*85*116	B/W Aluminium+Steel
XGYCSL-JLK-CK005R-2	244*116*155	B/W Aluminium+Steel
XGYCSL-JLK-CK005R-3	325*116*157	B/W Aluminium+Steel
XGYCSL-JLK-CK005R-4	580*116*147	B/W Aluminium+Steel

☒ Housing Only without Light Source

Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK005D-2S	210*60*1100	B/W Aluminium+Steel
XGYCSL-JLK-CK005D-3S	366*60*1100	B/W Aluminium+Steel
XGYCSL-JLK-CK003S-1K	202*202*1107	B/W Aluminium+Steel
XGYCSL-JLK-CK005D-4S	490*60*1100	B/W Aluminium+Steel

☒ Housing Only without Light Source





Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK006D-1R	Ø100*1110	B/W Aluminium+Steel
XGYCSL-JLK-CK006D-3S	390*80*1100	B/W Aluminium+Steel
XGYCSL-JLK-CK006R-1	103*80*111	B/W Aluminium+Steel
XGYCSL-JLK-CK006S-2	220*80*115	B/W Aluminium+Steel
XGYCSL-JLK-CK006S-3	380*80*115	B/W Aluminium+Steel
XGYCSL-JLK-CK006S-4	500*80*115	B/W Aluminium+Steel
XGYCSL-JLK-CK006S-4S	210*210*115	B/W Aluminium+Steel

☒ Housing Only without Light Source

Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK007T	83*55*163	B/W Aluminium+Steel
XGYCSL-JLK-CK007S-1	93*80*146	B/W Aluminium+Steel
XGYCSL-JLK-CK007S-2	210*60*145	B/W Aluminium+Steel
XGYCSL-JLK-CK007S-3	366*60*145	B/W Aluminium+Steel
XGYCSL-JLK-CK007S-4	485*60*145	B/W Aluminium+Steel
XGYCSL-JLK-CK007S-4S	210*210*145	B/W Aluminium+Steel
XGYCSL-JLK-CK007S-6	900*60*145	B/W Aluminium+Steel

☒ Housing Only without Light Source



06



Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK008R-1	98*80*150	B/W Aluminium+Steel
XGYCSL-JLK-CK008R-2	210*65*147	B/W Aluminium+Steel
XGYCSL-JLK-CK008S-3	366*65*147	B/W Aluminium+Steel
XGYCSL-JLK-CK008S-4	485*65*147	B/W Aluminium+Steel

☒ Housing Only without Light Source

Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK026S-1	120*120*136	B/W Aluminium
XGYCSL-JLK-CK026S-2	300*120*136	B/W Aluminium
XGYCSL-JLK-CK026S-3	480*120*136	B/W Aluminium
XGYCSL-JLK-CK026S-4	690*120*136	B/W Aluminium

☒ Housing Only without Light Source



Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CS51R-1B	95*80*155	B/W Aluminium
XGYCSL-JLK-CS51R-2B	191.5*191.5*160	B/W Aluminium
XGYCSL-JLK-CS51R-3B	205*205*160	B/W Aluminium
XGYCSL-JLK-CS51R-4B	247*247*155	B/W Aluminium
XGYCSL-JLK-CS51S-1B	120*70*155	B/W Aluminium
XGYCSL-JLK-CS51S-2B	220*70*155	B/W Aluminium
XGYCSL-JLK-CS51S-3B	365*70*155	B/W Aluminium
XGYCSL-JLK-CS51S-4B	490*70*155	B/W Aluminium

☒ Housing Only without Light Source



Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CS74-1	Ø60*183	B/W Aluminium
XGYCSL-JLK-CS74-2	136*60*183	B/W Aluminium
XGYCSL-JLK-CS74-3	213*60*183	B/W Aluminium
XGYCSL-JLK-CS74-4	193*175*183	B/W Aluminium
XGYCSL-JLK-CS74-5	213*213*183	B/W Aluminium

☒ Housing Only without Light Source

Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CS51F	161*92*73	B/W Aluminium
XGYCSL-JLK-CS51G	161*113*95	B/W Aluminium
XGYCSL-JLK-CS51H	175*70*70	B/W Aluminium
XGYCSL-JLK-CS51R-1A	Ø60*183	B/W Steel

☒ Housing Only without Light Source



ANTI-GLARE

Model No. 产品规格	Dimension (D LxW)xH(mm)	Body Material 材质
XGYCSL-JLK-CK023R-1	100*80*195	B/W Aluminium
XGYCSL-JLK-CK024S-1	100*80*195 with comb	B/W Aluminium
XGYCSL-JLK-CK024R-2	210*60*193 with comb	B/W Aluminium
XGYCSL-JLK-CK024S-3	365*60*193 with comb	B/W Aluminium

☒ Housing Only without Light Source